

You Desire.

Innovation You Can't Live Without.









A heritage of quality. That's what Perlick brings to the luxury lifestyle. With over 90 years of expertise honed in the commercial realm, our products grace the finest restaurants, resorts, stadiums, arenas and hotels in the world. That same commitment to quality is evident in each of the products you'll find in this design guide: the elements that help you create the quintessential home entertaining experience.





Since its inception in 1917, the Perlick Corporation has evolved into the premier supplier of Bar and Beverage Dispensing equipment in the industry. Perlick equipment can be found in restaurants, hotels, stadiums, theme parks, breweries and the finest homes worldwide. Headquartered in a 300,000-square-foot manufacturing facility in Milwaukee, Wisconsin, Perlick operates with two divisions: Commercial Products and Residential Products.

Perlick's Commercial Products include Bar and Beverage Equipment, Tapping and Brewery Fittings. The Bar and Beverage group manufacturers equipment used in the bar environment to include remote beer systems, refrigerated and non-refrigerated cabinets, stainless steel underbar equipment, glasswashers and the revolutionary modular bar structure which completes the bar package. Perlick's Tapping group manufacturers beer faucets, keg couplers and other beer dispensing components. The Brewery Fittings department is responsible for stainless steel and brass fittings which are used in the brewing process.


In October 2005, Perlick's Residential Products group redefined the residential undercounter refrigeration market with its

SATTEDY TERMINALS

AL MACHINE WORK ING-TO PLATING

BRASS FINIEUES

industry exclusive features and designs. Perlick's collection of residential products comprises a variety of free-standing and builtin, single- and multi-compartment Freezers and Refrigerators (with doors or drawers), Wine Reserves, Beverage Centers and Beer Dispensers. Available in 15-, 24- and patented 48- and 72-inch widths, Perlick residential refrigeration products have clearly set the bar in luxury home entertaining.



Commercial grade, laser-cut hinging

A level of precision that ensures strength and a straight hang of the door.



Extra-wide magnetic gasket

Produces stronger seal between door and unit for better, more efficient cooling.

Doors and drawers that readily accept a fully integrated wood panel.

To seamlessly integrate with surrounding cabinetry, wood accepting overlay kits for any door or drawer (including glass) accept wood panels from your cabinetmaker built to Perlick specifications. Replaces stainless steel doors by Perlick.

Optional Drawer Available

Provide a styish alternative to storing larger, heavier, more off-shape goods. Deep enough for a milk gallon, or Corona bottles, with 200-pound capacity.

Maguaton

Industry exclusive features

- · Commercial heritage
- Patented multi-zone, multi-door
 48" Configurations
 72" Configurations
- Full-extension shelving
- Variable-speed compressor,
 300-1,985 Btu (highest cooling capacity)
- · Glass door with food refrigeration
- Commercial hinges
- Full-extension Martini Glass Chiller Rack
- 24" Freezer Drawers
- Outdoor Refrigerator
- Outdoor Beverage Center
- Outdoor Freezer
- Outdoor Wine
- Outdoor 48" Beer Dispenser
- Outdoor 48" Refrigerator
- 2 & 3 Faucet Dispenser
- 15" Refrigerated Drawers
- 15" Beer Dispenser
- Zero Clearance Hinges
- · "Convertible" door design





It's the pinnacle of luxury home entertaining — made elegant and easy by Perlick's Signature Series. All Signature Series products are designed and crafted to look and perform better than any other alternative. Perlick is the only company to present you with multi-zone undercounter refrigeration. Available in 24-inch, 48-inch and 72-inch configurations, while allowing you to choose the size and configuration of your undercounter refrigerated cabinet to best accommodate your entertaining needs. In addition, only Perlick products offer unique features like the variable-speed compressor, which delivers unparalleled temperature uniformity, energy efficiency and guietness. Perlick is also the only company to provide you with innovations such as vinyl-coated full-extension shelving with guard rails; stunning commercial-grade stainless steel interiors; genuine multi-zone temperature control; three-tap beer dispensers; first-of-their-kind outdoor-rated products; vinyl-coated racks for chilling martini glasses and beer mugs and the power of 300 to 1,985 Btu. All of which translates to an entertaining experience that's certain to make a lifelong impression on you and your guests.

They Say Good Things Come In Small Packages and Perlick Corporation is poised to prove this with its line of luxury undercounter refrigeration that is a mere 15 inches wide. The new 15-inch Signature Series from Perlick features the world's first 15-inch Beer Dispenser and world's first 15-inch Refrigerator Drawers. Also included in this line is a Refrigerator, Beverage Center and Wine Reserve. The entire 15-inch Signature Series is available in both indoor and outdoor models.

- · Designed with fully integrated depth to allow flush fit with cabinetry
- · Zero-clearance hinging allows for abutment with cabinetry
- With 3/4-inch wood overlay, the unit will stand flush with cabinetry
- Best in Class 700-Btu commercial-grade compressor
- Front-vented, forced air refrigeration system
- · Industry exclusive commercial-grade stainless steel interior
- Industry exclusive convertible door design allows all doors to be converted to wood overlay from stainless steel
- Low-E, UV-coated glass provides industry leading insulation and protection







DRAWERS

- · Industry exclusive stainless steel drawers
- · Drawers are tall enough to store bottles and gallons of milk
- · Refrigerator drawers are rated for both food and beverage storage
- · Refrigerator drawers temperature 33 to 39 degrees F

BEER DISPENSER

- Refrigeration system keeps beer at perfect serving temperature
- · Complete, self-contained beer system
- · Portable drainer, no plumbing required
- Will hold one 1/6 keg
- Beer Dispenser temperature 33 to 39 degrees F









REFRIGERATOR

- Two industry exclusive full-extension pullout shelves
- Full-extension shelves are adjustable
- Stainless steel ball bearing glides provide smooth movement of shelves
- Refrigerator rated for both food and beverage storage
- Refrigerator temperature 33 to 39 degrees F

WINE RESERVE

- Five shelves will store 20 wine bottles
- Extra storage under shelves for up to 3 additional bottles
- Stainless steel ball bearing glides provide smooth movement of shelves
- Shelves are removable and adjustable to accommodate oversized (magnum) bottles
- Cabinet construction eliminates vibration transfer to reserve
- Wine Reserve temperature 40 to 65 degrees F





BEVERAGE CENTER

- Allows for storage of both wine and beverages
- Two wine shelves, one industry exclusive full-extension pullout shelf
- Shelving positions are adjustable to suit your needs
- Beverage Center temperature 36 to 48 degrees F





^{*} For the entire line of 15-inch Signature Series products, please turn to page 12

15" Signature Series
Refrigerators

Indoor Models	Outdoor Models	
HP15RS-1L	HP15RO-1L	15" refrigerator with solid stainless steel door hinge left
HP15RS-1R	HP15RO-1R	15" refrigerator with solid stainless steel door hinge right
HP15RS-2L	HP15RO-2L	15" refrigerator with integrated solid wood overlay door hinge left
HP15RS-2R	HP15RO-2R	15" refrigerator with integrated solid wood overlay door hinge right
HP15RS-3L	HP15RO-3L	15" refrigerator with stainless steel glass door hinge left
HP15RS-3R	HP15RO-3R	15" refrigerator with stainless steel glass door hinge right
HP15RS-4L	HP15RO-4L	15" refrigerator with integrated wood overlay glass door hinge left
HP15RS-4R	HP15RO-4R	15" refrigerator with integrated wood overlay glass door hinge right
HP15RS-5	HP15RO-5	15" refrigerator with solid stainless steel drawers
HP15RS-6	HP15RO-6	15" refrigerator with integrated solid wood overlay drawers

Wine Reserves

Indoor Models	Outdoor Models	
HP15WS-3L	HP15WO-3L	15" wine reserve with stainless steel glass door hinge left
HP15WS-3R	HP15WO-3R	15" wine reserve with stainless steel glass door hinge right
HP15WS-4L	HP15WO-4L	15" wine reserve with integrated wood overlay glass door hinge left
HP15WS-4R	HP15WO-4R	15" wine reserve with integrated wood overlay glass door hinge right

Beverage Centers

Indoor Models	Outdoor Models	
HP15BS-3L	HP15BO-3L	15" beverage center with stainless steel glass door hinge left
HP15BS-3R	HP15BO-3R	15" beverage center with stainless steel glass door hinge right
HP15BS-4L	HP15BO-4L	15" beverage center with integrated wood overlay glass door hinge left
HP15BS-4R	HP15BO-4R	15" beverage center with integrated wood overlay glass door hinge right

Beer Dispensers

Indoor Models	Outdoor Models	
HP15TS-1L	HP15TO-1L	15" beer dispenser with solid stainless steel door hinge left, single faucet tower
HP15TS-1R	HP15TO-1R	15" beer dispenser with solid stainless steel door hinge right, single faucet tower
HP15TS-2L	HP15TO-2L	15" beer dispenser with integrated solid wood overlay door hinge left, single faucet tower
HP15TS-2R	HP15TO-2R	15" beer dispenser with integrated solid wood overlay door hinge right, single faucet tower



It can hide discreetly under a counter or it can make a bold statement as a functional stand-alone design element — either way, Perlick's 24-inch Signature Series undercounter refrigeration products provide you with exceptional beauty and versatility. The 24-inch Signature Series includes a Freezer and Refrigerator (with doors or drawers), Beverage Center, Beer Dispenser and Wine Reserve. Doors can be specified with glass or stainless steel and can be integrated into surrounding cabinetry with a wood overlay. All 24-inch Signature Series models feature Perlick's exclusive variable speed compressor providing quiet, efficient power; a polished stainless steel interior; full-height doors and recessed lighting to add extra elegance.

- Designed with fully-integrated depth to allow flush fit with surrounding cabinetry (with 3/4-inch wood overlay)
- · Zero-clearance hinging allows for abutment with surrounding cabinetry
- · Perlick's exclusive variable speed compressor
- · Front-vented, forced-air refrigeration
- · Industry exclusive full-extension shelving
- · Industry exclusive stainless steel interior
- Two-year full warranty on complete unit Additional four-year limited warranty on the sealed refrigeration system
- Industry exclusive Convertible Door Design allows all doors to be converted to wood overlay from stainless steel
- · Low-E, UV-coated glass provides industry leading insulation and protection
- Door locks available
- · Interior digital display
- 5.3 cubic feet of capacity



REFRIGERATOR

- · Refrigerator rated for both food and beverage storage
- Available with solid stainless steel door, glass with stainless trim, solid wood overlay, glass with wood trim, two stainless steel drawers or two wood overlay drawers
- Refrigerator temperature 33 to 39 degrees F



FREEZER

- Freezer equipped with automatic hot gas defrost for maintenance-free defrosting
- · Interior digital display system
- Adjustable full-extension shelving allows easy storage and access to goods
- Available with solid stainless steel door, solid wood overlay, two stainless steel drawers or two wood overlay drawers
- Freezer temperature -10 to 10 degrees F





BEER DISPENSER

- Refrigeration system keeps beer at precise serving temperature
- · Complete, self-contained beer system
- Portable drainer, no plumbing required
- Will hold one 1/4 keg or two 1/6 kegs
- Available with solid stainless steel door or wood overlay door
- Beer Dispenser temperature 33 to 39 degrees F

WINE RESERVE

- Five shelves will store 40 wine bottles
- Extra storage under shelves for up to five additional bottles
- Stainless steel ball bearing glides provide smooth movement of shelves
- Shelves are removable and adjustable to accommodate oversize (magnum)bottles
- Cabinet construction eliminates vibration transfer to reserve
- Available with solid stainless steel door, glass door, solid wood overlay door or glass door with wood overlay trim
- Wine Reserve temperature 40 to 65 degrees F



BEVERAGE CENTER

- Allows for storage of both wine and beverages
- Two full-extension wine shelves and one full-extension vinyl-coated shelf
- · Shelving positions are adjustable to suit your needs
- Available with solid stainless steel door, glass door, solid wood overlay door or glass door with wood overlay trim
- Will hold 16 wine bottles, 54 cans and 24 water bottles
- Beverage Center temperature 36 to 48 degrees F



* For the entire line of 24-inch Signature Series products, please turn to page 16.

Indoor Models

HP24FS-1 24" freezer with solid stainless door

HP24FS-2 24" freezer with solid wood overlay door

HP24FS-5 24" freezer with solid stainless steel drawers

HP24FS-6 24" freezer with wood overlay drawers

Refrigerators

Indoor Models

HP24RS-1 24" refrigerator with solid stainless door

HP24RS-2 24" refrigerator with solid wood overlay door

HP24RS-3 24" refrigerator with stainless glass door

HP24RS-4 24" refrigerator with wood overlay glass door

HP24RS-5 24" refrigerator with solid stainless steel drawers

HP24RS-6 24" refrigerator with wood overlay drawers

Beverage Centers

Indoor Models

HP24BS-1 24" beverage center with solid stainless door

HP24BS-2 24" beverage center with solid wood overlay door

HP24BS-3 24" beverage center with stainless glass door

HP24BS-4 24" beverage center with wood overlay glass door

Beer Dispensers

Indoor Models

HP24TS-1 24" beer dispenser with solid stainless door

HP24TS-2 24" beer dispenser with wood overlay door

Wine Reserves

Indoor Models

HP24WS-1 24" wine reserve with solid stainless door

HP24WS-2 24" wine reserve with solid wood overlay door

HP24WS-3 24" wine reserve with stainless glass door

HP24WS-4 24" wine reserve with wood overlay glass door

Models available with left or right hinge



With Two Separate Compartments in one stylish unit, Perlick's patented 48-inch Two-Door Multi-Zone units offer a generous 12 cubic feet of cooling capacity. You can specify your Perlick unit in virtually any configuration of refrigerator (with door or drawers), freezer (with door or drawers), wine reserve, beverage center or beer dispenser. For built-in or stand-alone usage, the Perlick 48-inch Two-Door Multi-Zone units provide the ultimate in luxury entertaining, with style, versatility and quiet, energy-efficient performance.

- Multi-zone, multi-door undercounter refrigeration unit: available in one or two temperature zones
- Designed with fully integrated depth to allow flush fit with surrounding cabinetry (with 3/4-inch wood overlay)
- · Zero-clearance hinging allows for abutment with surrounding cabinetry
- · Perlick's exclusive variable speed compressor
- · Front-vented, forced-air refrigeration
- · Industry exclusive full-extension shelving
- · Industry exclusive stainless steel interior
- Two-year full warranty on complete unit additional four-year limited warranty on the sealed refrigeration system
- · Maintenance-free automatic defrost cycle
- Industry exclusive Convertible Door Design allows all doors to be converted to wood overlay from stainless steel
- Low-E, UV-coated glass provides industry leading insulation and protection
- Door locks available
- Interior digital display
- 12 cubic feet of capacity



FREEZER/REFRIGERATOR

- Freezer equipped with automatic hot gas defrost for maintenance-free defrosting
- · Refrigerator rated for both food and beverage storage
- · Door locks prevent unwanted access
- Adjustable full-extension shelving allows easy storage and access to goods
- Door options for each compartment include solid stainless steel door, two stainless steel drawers, glass door (refrigerator only), glass door with wood overlay (refrigerator only) or with solid wood overlay
- Freezer temperature -10 to 10 degrees F
- Refrigerator temperature 33 to 39 degrees F

REFRIGERATOR/WINE RESERVE

- Industry exclusive full-extension pullout shelving; shelves are adjustable
- Refrigerator rated for both food and beverage storage
- Wine Reserve holds up to 48 wine bottles
- Available with solid stainless steel door, glass with stainless trim, wood overlay or two stainless steel drawers (refrigerator only)
- Refrigerator temperature 33 to 39 degrees F
- Wine Reserve temperature 40 to 65 degrees F





WINE RESERVE / WINE RESERVE

- The HP48WW allows for two separate temperature zones perfect for red and white wine storage — also available as one single temperature zone
- · Capacity to hold up to 90 wine bottles
- Industry exclusive full-extension pullout shelving
- Shelving positions are adjustable to suit your needs
- Available with a solid stainless door, glass door with stainless trim, glass door with wood trim or solid door with wood overlay door
- Wine Reserve temperature 40 to 65 degrees F





REFRIGERATOR WITH BEER DISPENSER

- Refrigerator zone features two (2) full-extension pullout shelves
- Refrigeration system keeps beer at precise serving temperature
- Complete, self-contained beer system
- · Portable drainer, no plumbing required
- Available with one, two or three taps to accommodate up to three different types of beer
- Will hold one 1/2 barrel + one 1/4 barrel or one, two or three 1/6 kegs
- Beer Dispenser and refrigerator temperature
 33 to 39 degrees F

^{*} For the entire line of 48-inch Signature Series products, please turn to page 20.

48" Signature Series
Indoor Models

HP48FR-B	48" freezer/refrigerator — built-in		
HP48FR-S	48" freezer/refrigerator — free-standing		
HP48RO-B	48" refrigerator — built-in		
HP48RO-S	48" refrigerator = refrigerator — free-standing		
HP48RB-B	48" refrigerator/beverage center — built-in		
HP48RB-S	48" refrigerator/beverage center — free-standing		
HP48RT-B	48" refrigerator/beer dispenser — built-in		
HP48RT-S	48" refrigerator/beer dispenser — free-standing		
HP48RW-B	48" refrigerator/wine — built-in		
HP48RW-S	48" refrigerator/wine — free-standing		
HP48WW-B	48" wine/wine — built-in		
HP48WW-S	48" wine/wine — free-standing	/ —	there is a different temperature zone
HP48WO-B	48" wine=wine — built-in	= —	means the zones
HP48WO-S	48" wine=wine — free-standing		are the same temperature

Freezer Door Options

- 1 Solid stainless door
- 2 Solid wood overlay door
- 5 Solid stainless steel drawers
- 6 Solid wood overlay drawers

Refrigerator Door Options

- 1 Solid stainless door
- 2 Solid wood overlay door
- 3 Stainless glass door
- 4 Wood overlay glass door

Beer Dispenser Door Options

- 1 Solid stainless door
- 2 Solid wood overlay door

Beverage Center Door Options

- 1 Solid stainless door
- 2 Solid wood overlay door
- 3 Stainless glass door
- 4 Wood overlay glass door

Wine Reserve Door Options

- 1 Solid stainless door
- 2 Solid wood overlay door
- 3 Stainless glass door
- 4 Wood overlay glass door

Models available with left or right hinge



For Quality, Elegnce and Sheer Capacity Perlick's 72-inch Three-Door Multi-Zone refrigerated unit is in a class by itself. With this product, Perlick affords you the luxury of selecting a combination of up to three different climate zones in one undercounter refrigerated unit. For example, you could configure your 72-inch Three-Door Multi-Zone unit with a refrigerator, beer dispenser and wine reserve or an all wine reserve to accommodate 138 bottles — therefore, creating a product that is unrivaled by anything in the residential luxury market.

- Multi-zone, multi-door undercounter refrigeration unit: available in one, two or three temperature zones
- Designed with fully integrated depth to allow flush fit with surrounding cabinetry (with 3/4-inch wood overlay)
- · Zero-clearance hinging allows for abutment with surrounding cabinetry
- Perlick's exclusive variable speed compressor
- Industry exclusive full-extension shelving
- Industry exclusive stainless steel interior
- Two-year full warranty on complete unit additional four-year limited warranty on the sealed refrigeration system
- Industry exclusive Convertible Door Design allows all doors to be converted to wood overlay from stainless steel
- Low-E, UV-coated glass provides industry leading insulation and protection
- Door locks available
- Interior digital display
- 19 cubic feet of capacity

REFRIGERATOR=REFRIGERATOR/WINE RESERVE

- · Refrigerator rated for both food and beverage storage
- Wine Reserve holds up to 48 wine bottles
- Interior digital display
- Adjustable full-extension shelving allows easy storage and access to goods
- Door options for each compartment include solid stainless steel door, two stainless steel drawers (refrigerator only), glass door (refrigerator and wine only), glass door with wood overlay (refrigerator and wine only) or with solid wood overlay
- · Refrigerator temperature 33 to 39 degrees F
- Wine Reserve temperature 40 to 65 degrees F







REFRIGERATOR / BEVERAGE CENTER / WINE RESERVE

- Refrigerator rated for both food and beverage storage
- Adjustable full-extension shelving allows easy storage and access to goods
- Door options for each compartment include solid stainless steel door, two stainless steel drawers (refrigerator only), glass door, glass door with wood overlay or with solid wood overlay
- Refrigerator temperature 33 to 39 degrees F
- Beverage Center temperature 36 to 48 degrees F
- Wine Reserve temperature 40 to 65 degrees F

REFRIGERATOR / BEER DISPENSER / WINE RESERVE

- The ultimate home entertainer's tool refrigerator for storing food and beverages, Beer Dispenser with one, two or three faucets and 48-bottle Wine Reserve
- Industry exclusive full-extension pullout shelving
- Shelving positions are adjustable to suit your needs
- · Complete, self-contained beer system
- Available with a solid stainless door, glass door with stainless trim (refrigerator and wine only), glass door with wood trim (refrigerator and wine only) or with solid wood overlay
- Refrigerator temperature 33 to 39 degrees F
- Beer Dispenser temperature 33 to 39 degrees F
- Wine Reserve temperature 40 to 65 degrees F





Refrigerator=Refrigerator=Refrigerator

- 72-inch all refrigerator
- Industry exclusive full-extension pullout shelving; shelves are adjustable
- Refrigerator rated for both food and beverage storage
- Available with solid stainless steel door, glass with stainless trim, solid wood overlay, glass with wood trim, two stainless steel drawers or two wood overlay drawers
- Refrigerator temperature 33 to 39 degrees F

WINE RESERVE/WINE RESERVE

- Three separate wine temperature zones
- · Capacity to hold up to 138 bottles of wine
- Stainless steel ball bearing glides provide smooth movement of shelves
- Shelves are removable and adjustable to accommodate oversize (magnum) bottles
- · Cabinet construction eliminates vibration transfer to reserve
- Available with solid stainless steel door, glass with stainless trim, solid wood overlay, glass with wood trim
- Wine Reserve temperature 40 to 65 degrees F



Indoor Models	Ind	oor	Mo	dels
----------------------	-----	-----	----	------

HP72ROO-B	72" refrigerator=refrigerator — built-in		
HP72ROO-S	72" refrigerator=refrigerator=refrigerator — free-standing		
HP72ROW-B	72" refrigerator=refrigerator/wine — built-in		
HP72ROW-S	72" refrigerator=refrigerator/wine — free-standing		
HP72RBW-B	72" refrigerator/beverage center/wine — built-in		
HP72RBW-S	72" refrigerator/beverage center/wine — free-standing		
HP72RTW-B	72" refrigerator/beer dispenser/wine — built-in		
HP72RTW-S	72" refrigerator/beer dispenser/wine — free-standing		
HP72RWW-B	72" refrigerator/wine/wine — built-in		
HP72RWW-S	72" refrigerator/wine/wine — free-standing		
HP72RWO-B	72" refrigerator/wine=wine — built-in		
HP72RWO-S	72" refrigerator/wine=wine — free-standing		
HP72WWW-B	72" wine/wine — built-in		
HP72WWW-S	72" wine/wine — free-standing		
HP72WOW-B	72" wine=wine/wine — built-in		
HP72WOW-S	72" wine=wine/wine — free-standing		
HP72WWO-B	72" wine/wine=wine — built-in	/ —	there is a different
HP72WWO-S	72" wine/wine=wine — free-standing		temperature zone
HP72WOO-B	72" wine=wine — built-in	= —	means the zones are the same
HP72WOO-S	72" wine=wine=wine — free-standing		temperature

Refrigerator Door Options

- 1 Solid stainless door
- 2 Solid wood overlay door
- 3 Stainless glass door
- 4 Wood overlay glass door
- 5 Solid stainless steel drawers
- 6 Solid wood overlay drawers

Beer Dispenser Door Options

- 1 Solid stainless door
- 2 Solid wood overlay door

Beverage Center Door Options

- 1 Solid stainless door
- 2 Solid wood overlay door
- 3 Stainless glass door
- 4 Sood overlay glass door

Wine Reserve Door Options

- 1 Solid stainless door
- 2 Solid wood overlay door
- 3 Stainless glass door
- 4 Wood overlay glass door

Models available with left or right hinge



Clear Ice Maker

H50IMS-L 15" clear ice maker with solid stainless door — left hinge
H50IMS-R 15" clear ice maker with solid stainless door — right hinge

H50IMW 15" clear ice maker with solid wood overlay door

Measuring a mere 15 inches wide, the Perlick Clear Ice Maker can create 55 pounds of crystal-clear ice in a single day (and stores 27 pounds), fulfilling even the most generous home entertaining needs. The distinctive top hat shape of each cube is more than just attractive: The shape is part of Perlick's method in ensuring that each cube is absolutely free of impurities, for a flawless look and taste. This unique shape also prevents the ice from clumping, guaranteeing that you always serve your guests with the perfect beverage every time.






- Produces up to 55 pounds of ice per day and stores up to 27 pounds of ice
- UL approved for outdoor use
- Quiet, efficient operation
- Optional drain pump
- Elegant stainless steel door and polished handle
- · Built-in filter

With a full range of professional-grade equipment designed to cater to your inner mixologist, only Perlick provides the luxury of creating the Ultra Lounge in your home. The timeless, commercial-style design of these products, crafted of durable, commercial-grade stainless steel, imparts a sense of elegance matched only by its utility — for these are bona fide performers, capable of transforming your home into an entertaining destination.



- Seamless sink
- An insulated icebox
- Storage for garnishes
- · Optional bottle rail
- · Stainless steel cabinet below for storage
- All elegant stainless steel, including the door and polished handle
- Available in the Outdoor Line
- Built-in or free-standing when using the optional stainless steel base



- - Stainless steel cabinet below for storage
 - All elegant stainless steel, including the door and polished handle
 - Convenient "lip" prevents bottles from slipping off the shelf
 - · Available in the Outdoor Line
 - Built-in or free-standing when using the optional stainless steel base



- Electrical outlets for power
- · Stainless steel cabinet below for storage
- All elegant stainless steel, including the door and polished handle
- UL approved for outdoor use available in the Outdoor Line
- Built-in or free standing when using the optional stainless steel base

LIQUOR SHELF HWL — liquor shelf HWLB — liquor shelf with 23.5" dry underbar base



Signature Series Outsoor Products Perlick goes Beyond the Interior of the Home and redefines outdoor

Perlick goes Beyond the Interior of the Home and redefines outdoor entertaining with its luxury line of outdoor products. Finished in beautiful stainless steel and UL approved for outdoor use, Perlick's outdoor line features variable speed compressor that allows all of the units to maintain its desired temperature in any type of environment. The first to offer a glass door refrigerator, freezer and wine reserve for outdoor use, Perlick's line also includes refrigerated drawers, freezer drawers, beverage centers and beer dispensers in 15-, 24- and patented 48-inch configurations.

- Available in 15-inch, 24-inch and patented 48-inch undercounter refrigerator configurations
- Designed with fully integrated depth to allow flush fit with surrounding cabinetry
- · Commercial-grade stainless steel interiors and exteriors
- · Interior digital temperature control and display
- Variable speed compressor provides precise temperature control and energy-efficient cooling — a Perlick exclusive!
- Vinyl coated full-extension shelving glides out beyond the cabinet for easy access to contents
- Two-year full warranty on complete unit additional four-year limited warranty on the sealed refrigeration system
- Two-inch thick walls provide superior insulation and minimize vibrations
- · Door locks prevent unwanted access
- Glass doors offer full UV protection
- UL approved for outdoor use









- Whisper-quiet 700-Btu compressor
- Refrigerator rated for both food and beverage storage
- Beverage Center has two full-extension wine racks and one full-extension shelf
- · Wine Reserve can hold up to 23 bottles of wine
- Beer Dispenser will hold one 1/6 keg

AVAILABLE MODELS

- Refrigerator temperature 33 to 39 degrees F
- Beverage Center temperature 36 to 48 degrees F
- Beer Dispenser temperature 33 to 39 degrees F
- Wine Reserve temperature 40 to 65 degrees F

- 24-Inch
 - Industry exclusive freezer equipped with automatic hot gas defrost for maintenance-free defrosting
 - Optional Martini Glass Chiller Rack (freezer only)
 - Refrigerator rated for both food and beverage storage
 - Beverage Center has two full-extension wine racks and one full-extension shelf
 - Wine Reserve can hold up to 48 bottles of wine
 - Beer Dispenser comes with a complete, self-contained beer system and portable drainer, no plumbing required

AVAILABLE MODELS

- Freezer temperature -10 to 10 degrees F
- Refrigerator temperature 33 to 39 degrees F
- Beverage Center temperature 36 to 48 degrees F
- Beer Dispenser temperature 33 to 39 degrees F
- Wine Reserve temperature 40 to 65 degrees F

* For the entire line of 15-inch Signature Series Outdoor products, please turn to page 32.



^{*} For the entire line of 24-inch Signature Series Outdoor products, please turn to page 32.

48-Inch

- Refrigerator zone features two full-extension pullout shelves
- Wine Reserve can hold up to 90 wine bottles
- Refrigeration system keeps beer at precise serving temperature
- · Complete, self-contained beer system; portable drainer, no plumbing required
- Beer dispenser available with one, two or three taps to accommodate up to three different types of beer

AVAILABLE MODELS

- Refrigerator temperature 33 to 39 degrees F
- Beverage Center temperature 36 to 48 degrees F
- Beer Dispenser temperature 33 to 39 degrees F
- Wine Reserve temperature 40 to 65 degrees F



Outdoor products, please turn to page 32.



Freezers

Outdoor Models

HP24FO-1 24" freezer with solid stainless

HP24FO-2 24" freezer with solid wood overlay door HP24FO-5 24" freezer with solid stainless steel drawers HP24FO-6 24" freezer with wood overlay drawers

Refrigerators

Outdoor Models

HP15RO-1 15" refrigerator with solid stainless steel door hinge

HP15RO-2 15" refrigerator with integrated solid wood overlay door hinge left

HP15RO-3 15" refrigerator with stainless steel glass door hinge

HP15RO-4 15" refrigerator with integrated wood overlay glass door hinge

HP15RO-5 15" refrigerator with solid stainless steel drawers

HP15RO-6 15" refrigerator with integrated solid wood overlay drawers

HP24RO-1
 HP24RO-2
 HP24RO-3
 HP24RO-4
 HP24RO-4
 HP24RO-5
 24" refrigerator with solid wood overlay door
 HP24RO-4
 HP24RO-5
 24" refrigerator with wood overlay glass door
 HP24RO-5
 24" refrigerator with solid stainless steel drawers

HP24RO-6 24" refrigerator with wood overlay drawers

HP48RO-O 48" refrigerator=refrigerator HP48RT-O 48" refrigerator/beer dispenser there is a different temperature zone

means the zones are the same temperature

Wine Reserves

Outdoor Models

HP15WO-1 15" wine reserve with solid stainless door HP15WO-2 15" wine reserve with solid wood overlay door HP15WO-3 15" wine reserve with stainless steel glass door

HP15WO-4 15" wine reserve with integrated wood overlay glass door

HP24WO-1
HP24WO-3
HP24WO-4
HP24WO-4

24" wine reserve with solid stainless door
HP24WO-3
HP24WO-4
HP24WO-4

24" wine reserve with stainless glass door
HP24WO-4

24" wine reserve with wood overlay glass door

HP48WO-O-1-1 48" wine=wine with solid stainless door HP48WO-O-3-3 48" wine=wine with stainless glass door

Beverage Centers

Outdoor Models

HP15BO-1 15" beverage center with solid stainless door HP15BO-2 15" beverage center with solid wood overlay door HP15BO-3 15" beverage center with stainless steel glass door

HP15BO-4 15" beverage center with integrated wood overlay glass door

HP24BO-1 24" beverage center with solid stainless door
HP24BO-2 24" beverage center with solid wood overlay door
HP24BO-3 24" beverage center with stainless glass door
HP24BO-4 24" beverage center with wood overlay glass door

Beer Dispensers

Outdoor Models

HP15TO-1 15" beer dispenser with solid stainless steel single faucet tower

HP15TO-2 15" beer dispenser with integrated solid wood overlay single faucet tower HP24TO-1 24" beer dispenser with solid stainless door (one-or two-faucet tower)

HP48RT-O 48" refrigerator/beer dispenser

Models available with left or right hinge







24" C-Series

Perlick's C-Series Refrigerator is available with the option of a stainless steel door, UV-coated glass or a wood overlay kit to blend into surrounding cabinetry. The C-Series, 24-inch Refrigerator is rated for both food and beverage storage with a temperature of 33 to 39 degrees F.

- · Commercial-grade stainless steel interiors
- · Interior temperature control and light
- Powered by a whisper-quiet, commercial-grade compressor with a 700-Btu output
- Full-extension pullout shelving makes finding items and restocking your refrigerator easy — Perlick exclusive
- Stainless steel ball bearing glides provide smooth movement of shelves
- · Refrigerator rated for both food and beverage storage
- Designed with fully integrated depth to allow flush fit with surrounding cabinetry
- · Zero-clearance hinging allows for abutment with surrounding cabinetry
- · Glass doors offer full UV protection
- · Optional wood overlay door kit will stand flush with cabinetry
- Convertible door design allows all doors the ability to be converted to wood overlay from stainless steel
- Low-E, UV-coated glass provides industry leading insulation and protection
- Two-inch thick walls provide superior insulation and minimize vibrations
- Reversible swing door
- Refrigerator temperature 33 to 39 degrees F







C-Series Wine Reserve For the serious wine connoisseur, Perlick offers its C-Series Wine Reserve. The 24-inch unit features five full-extension shelves that will store 40 bottles of wine and there's even room for five additional bottles under the shelves. In addition, all of the C-Series Wine Reserves feature vinyl-coated full-extension shelving that prevents shifting and slippage of the stored bottles; and glass doors that protect varietals from ultraviolet light while displaying the contents of the undercounter wine storage cabinets in all their beauty.

- Commercial-grade stainless steel interiors
- · Interior temperature control and light
- · Wine Reserve construction eliminates vibration transfer to reserve
- Powered by a whisper-quiet, commercial-grade compressor with a 700-Btu output
- Full-extension pullout shelving makes finding items and restocking your Wine Reserve easy — Perlick exclusive!
- Shelves are removable and adjustable to accommodate oversized (magnum) bottles
- Stainless steel ball bearing glides provide smooth movement of shelves
- Designed with fully integrated depth to allow flush fit with surrounding cabinetry
- · Zero-clearance hinging allows for abutment with surrounding cabinetry
- Glass doors offer full UV protection
- · Optional wood overlay door kit will stand flush with cabinetry
- Convertible door design allows all doors the ability to be converted to wood overlay from stainless steel
- Low-E, UV-coated glass provides industry leading insulation and protection
- Two-inch thick walls provide superior insulation and minimize vibrations
- · Reversible swing door
- Wine Reserve temperature 40 to 65 degrees F

C-Series Beverage Center As every home entertainer knows, different beverages have different storage requirements. Perlick's C-Series 24-inch Beverage Center, features three vinyl-coated, full-extension shelves. The two top shelves are wine racks which can accommodate 16 bottles of wine and the third shelf is perfectly equipped to store a variety of beverages.

- · Commercial-grade stainless steel interiors
- · Interior temperature control and light
- Powered by a whisper-quiet, commercial-grade compressor with a 700-Btu output
- Three vinyl-coated, full-extension shelves: two top shelves are wine racks and third shelf can accommodate a variety of beverages
- Designed with fully integrated depth to allow flush fit with surrounding cabinetry
- · Zero-clearance hinging allows for abutment with surrounding cabinetry
- · Glass doors offer full UV protection
- · Optional wood overlay door kit will stand flush with cabinetry
- Convertible door design allows all doors the ability to be converted to wood overlay from stainless steel
- Low-E, UV-coated glass provides industry leading insulation and protection
- Two-inch thick walls provide superior insulation and minimize vibrations
- · Reversible swing door
- Beverage Center temperature 36 to 48 degrees F



* See available models on page 38.



Refrigerators

_	
Built-in Models	
HC24RB-1L	24" built-in commercial series refrigerator with solid stainless steel door hinge left
HC24RB-1R	24" built-in commercial series refrigerator with solid stainless steel door hinge right
HC24RB-2L	24" built-in commercial series refrigerator with integrated solid wood overlay door hinge left
HC24RB-2R	24" built-in commercial series refrigerator with integrated solid wood overlay door hinge right
HC24RB-3L	24" built-in commercial series refrigerator with stainless steel glass door hinge left
HC24RB-3R	24" built-in commercial series refrigerator with stainless steel glass door hinge right
HC24RB-4L	24" built-in commercial series refrigerator with integrated wood overlay glass door hinge left
HC24RB-4R	24" built-in commercial series refrigerator with integrated wood overlay glass door hinge right

Wine Reserves


Built-in Models	
HC24WB-3L	24" built-in commercial series wine reserve with stainless steel glass door hinge left
HC24WB-3R	24" built-in commercial series wine reserve with stainless steel glass door hinge right
HC24WB-4L	24" built-in commercial series wine reserve with integrated wood overlay glass door hinge left
HC24WB-4R	24" built-in commercial series wine reserve with integrated wood overlay glass door hinge right

Beverage Centers

Built-in Models	
HC24BB-3L	24" built-in commercial series beverage center with stainless steel glass door hinge left
HC24BB-3R	24" built-in commercial series beverage center with stainless steel glass door hinge right
HC24BB-4L	24" built-in commercial series beverage center with integrated wood overlay glass door hinge left
HC24BB-4R	24" built-in commercial series beverage center with integrated wood overlay glass door hinge right







extends completely out of the cabinet for easy access to all contents.

ADA-Compliant, Series

Perlick is excited to offer its complete line of 24-inch ADA-Compliant refrigeration products. Standing at 32 inches in height, each unit is designed for maximum capacity while adhering to ADA guidelines. With a vast product line, Perlick's ADA-Compliant Series is perfect for residential and commercial applications.

- Designed for maximum capacity while adhering to strict 34-inch counter height ADA-Compliant requirements
- Fully-integrated depth to allow flush fit with surrounding cabinetry
- · Zero-clearance hinging allows for abutment with surrounding cabinetry
- With 3/4-inch wood overlay, the unit will stand flush with cabinetry
- · Best in Class 700-Btu commercial-grade compressor
- · Front-vented, RAPIDcool forced-air refrigeration system
- · Commercial-grade stainless steel interior
- Maintenance-free automatic defrost cycle
- Industry exclusive convertible door design allows all doors the ability to be converted to wood overlay from stainless steel
- · Low-E, UV-coated glass provides industry leading insulation and protection



- · Industry exclusive full-extension pullout shelves
- Available with solid stainless steel door, solid wood overlay door, stainless steel drawers or wood overlay drawers
- Full-extension shelves/drawers pull completely out of the unit allowing easy storage and access to freezer contents.
- Equipped with automatic hot gas defrost for maintenance-free defrosting
- Freezer temperature -10 to 10 degrees F



REFRIGERATOR

- Available with solid stainless steel door, solid wood overlay door, glass with stainless trim door, glass with wood trim door, stainless steel drawers or wood overlay drawers
- Industry exclusive full-extension pullout shelves makes finding items and restocking your refrigerator easy.
- Full-extension shelves are adjustable
- Stainless steel ball bearing glides provide smooth movement of shelves
- · Refrigerator rated for both food and beverage storage
- Refrigerator temperature 33 to 39 degrees F

BEVERAGE CENTER

- Available with solid stainless steel door, glass door, solid wood overlay door, glass with stainless trim or glass door with wood overlay trim
- Allows for storage of both wine and beverages
- Two wine shelves, one industry exclusive full-extension pullout shelf
- Shelving positions are adjustable to suit your needs
- Beverage Center temperature 36 to 48 degrees F





WINE RESERVE

- Available with solid stainless steel door, glass door, solid wood overlay door, glass with stainless trim or glass door with wood overlay trim
- Five shelves will store 40 wine bottles
- Extra storage under shelves for up to five additional bottles
- Stainless steel ball bearing glides provide smooth movement of shelves
- Shelves are removable and adjustable to accommodate over size (magnum) bottles
- Cabinet construction eliminates vibration transfer to reserve
- · Wine Reserve temperature 40 to 65 degrees F



ICE MAKER

- H50IMS-ADR
- Produces up to 55 pounds of ice per day and stores up to 27 pounds of ice
- UL-approved for outdoor use
- Quiet, efficient operation
- · Optional drain pump
- Elegant stainless steel door and polished handle
- Interior light



* See available models on page 44.



Built-in Models

bane in Models	
HA24FB-1L	24" built-in ADA-Compliant freezer with solid stainless steel door hinge left
HA24FB-1R	24" built-in ADA-Compliant freezer with solid stainless steel door hinge right

HA24FB-2L 24" built-in ADA-Compliant freezer with integrated wood overlay solid door hinge left HA24FB-2R 24" built-in ADA-Compliant freezer with integrated wood overlay solid door hinge right

HA24FB-5 24" built-in ADA-Compliant freezer with stainless steel drawers

HA24FB-6 24" built-in ADA-Compliant freezer with integrated wood overlay drawers

Refrigerators

Built-in Models

HA24RB-1L	24" built-in ADA-Compliant refrigerator with solid stainless steel door hinge left
HA24RB-1R	24" built-in ADA-Compliant refrigerator with solid stainless steel door hinge right
HA24RB-2L	24" built-in ADA-Compliant refrigerator with integrated wood overlay solid door hinge left
HA24RB-2R	24" built-in ADA-Compliant refrigerator with integrated wood overlay solid door hinge right
HA24RB-3L	24" built-in ADA-Compliant refrigerator with stainless glass door hinge left

HA24RB-3R 24" built-in ADA-Compliant refrigerator with stainless glass door hinge right

HA24RB-4L 24" built-in ADA-Compliant refrigerator with integrated wood glass overlay door hinge left HA24RB-4R 24" built-in ADA-Compliant refrigerator with integrated wood glass overlay door hinge right

HA24RB-5 24" built-in ADA-Compliant refrigerator with stainless steel drawers

24" built-in ADA-Compliant refrigerator with integrated wood overlay drawers HA24RB-6

Wine Reserves

Built-in Models

HA24WB-3L	24" built-in ADA-Compliant wine reserve with stainless steel glass door hinge left
HA24WB-3R	24" built-in ADA-Compliant wine reserve with stainless steel glass door hinge right

24" built-in ADA-Compliant wine reserve with integrated wood overlay glass door hinge left HA24WB-4L HA24WB-4R 24" built-in ADA-Compliant wine reserve with integrated wood overlay glass door hinge right

Beverage Centers

Built-in Models

HA24BB-3L	24" built-in ADA-Compliant beverage center with stainless steel glass door hinge left
HA24BB-3R	24" built-in ADA-Compliant beverage center with stainless steel glass door hinge right

24" built-in ADA-Compliant beverage center with integrated wood overlay glass door hinge left HA24BB-4L HA24BB-4R 24" built-in ADA-Compliant beverage center with integrated wood overlay glass door hinge right

Clear Ice Maker

Built-in Models

H50IMS-ADL	15" ADA-Compliant clear ice maker with stainless steel door hinge left
H50IMS-ADR	15" ADA-Compliant clear ice maker with stainless steel door hinge right

H50IMW-AD 15" ADA-Compliant clear ice maker with wood overlay door hinge left or right



Perlick offers and array of accessories to complement your Perlick unit – whether it be an indoor or outdoor unit, an additional shelf, stacking kit or Perlick's exclusive full-extension martini glass chiller. All of Perlick's accessories are designed specifically for each application and maintain the highest quality of materials and craftsmenship.

Shelves:

Full-extension shelf

Full-extension wine rack

Full-extension shelf with beverage dividers

Stacking Kits

Creates a unique "single" unit design

15" Stacking Kit

24" Stacking Kit

48" Stacking Kit

72" Stacking Kit

Freezer and Refrigerator Drawers


Drawer Organizers

Keep your food and beverages organized with an adjustable divider system

Freezer

Full-extension Martini Glass Chiller

Chill up to 15 martini glasses for a perfect cocktail



Wine Reserve

Wine Bottle Display Rack

Showcase your most prized vintages in this five-bottle display

Wood slats (attach to front of wine racks)

Custom stain your wine racks to match surrounding cabinetry

Beer Dispenser

Cleaning Kit

Kit includes pump, sanitizer and tools to clean lines

Sanitizer 4oz bottle

Sanitizer 33oz bottle

Faucet Lock

European Keg Coupler

Perlick Tap Handles

Door

Perlick's Convertible Door Design allows you to change the look of your refrigerator by going from a wood overlay door to a stainless steel door and vice versa

Stainless Steel Panel - solid door

Stainless steel Panel – glass door

Stainless steel Panel - drawer

Outdoor Covers

Keep your outdoor units protected with these heavy-duty Perlick covers

24" Cover

48" Cover





Perlick's unique line of undercounter refrigeration features thousands of styles and configurations to fit your own design and lifestyle. To help you create an appliance that will not only look exactly how you want it, but also function specifically for your own needs, we have developed an interactive Build-a-Perlick tool to guide you through the selection process. Perhaps the world's only 15-inch Signature Series Refrigerator Drawers are what you are looking for or the elegant 72-inch Refrigerator/Beer Dispenser/Wine unit. Whatever your needs are, Perlick has an appliance just for you — so feel free and let your mind be creative and that's where Luxury Meets Innovation.

www.bringPerlickhome.com/build-a-Perlick

How to build a 15" and 24" Signature Series

HP15RS-1L

HP | Home Products

HP15RS-1L

- 15 | 15" / Single Door
- 24 24" / Single Door

HP15RS-1L

- F Freezer Compartment
- R Refrigerator Compartment
- W | Wine Compartment
- B Beverage Compartment
- T Tapping Compartment

HP15RS-1L

- S Indoor (free-standing or built-in)
- O | Outdoor

HP15RS-1L

- 1 Solid Stainless Steel Door
- Wood Overlay Solid Door
- 3 Stainless Steel Glass Door
- 4 Wood Overlay Glass Door
- 5 Stainless Steel Drawers
- Wood Overlay Drawers
- Left Hinge
- R | Right Hinge

How to build a 48" and 72" Signature Series

HP72RBW-S-1L-3L-3R

HP | Home Products

HP72RBW-S-1L-3L-3R

- 48 | 48" / Two Door
- 72 72" / Three Door

HP72RBW-S-1L-3L-3R

- F Freezer Compartment
- R Refrigerator Compartment
- W | Wine Compartment
- B Beverage Compartment
- T Tapping Compartment
- O One Temperature Zone (no divider wall)

HP72RBW-S-1L-3L-3R

- B Built-in
- S Free-standing (stand-alone)
- O Outdoor

HP72RBW-S-1L-3L-3R

- | Solid Stainless Steel Door
- 2 Wood Overlay Solid Door
- 3 Stainless Steel Glass Door
- 4 Wood Overlay Glass Door
- 5 Stainless Steel Drawers
- 6 Wood Overlay Drawers
- Left Hinge
- R | Right Hinge

How to build a 24" C-Series

HC24RB-1L

HC | Home Products / C-Series

HC24RB-1L

24 24" / Single Door

HC24RB-1L

- R Refrigerator Compartment
- W Wine Compartment
- B Beverage Compartment

HC24RB-1L

Built-in

HC24RB-1L

- | Solid Stainless Steel Door
- 2 Wood Overlay Solid Door
- 3 Stainless Steel Glass Door
- 4 Wood Overlay Glass Door
- L Left Hinge
- Right Hinge

How to build a 24" ADA-Compliant Series

HA24RB-1L

HA | Home Products/ADA-Compliant Series

HA24RB-1L

24 24" / Single Door

HA24RB-1L

- F Freezer Compartment
- Refrigerator Compartment
- W Wine Compartment
- B Beverage Compartment

HA24RB-1L

B Built-in

HA24RB-1L


- | Solid Stainless Steel Door
- 2 Wood Overlay Solid Door
- 3 Stainless Steel Glass Door
- 4 Wood Overlay Glass Door
- 5 Stainless Steel Drawers
- 4 Wood Overlay Drawers
- L Left Hinge
- R Right Hinge








15" Signature Series Specifications





 Overall Width:
 14-7/8", 37.783 cm

 Overall Height:
 34-5/16", 87.154 cm

 Overall Depth:
 23-15/16", 60.801 cm


 Capacity:
 3.0 cubic ft.

 Minimum Height Required:
 34-3/8"

 Door Swing Clearance:
 15-25/32"


Electrical: 115V, 60Hz., 1 Phase AC, 2.3 amps


Plumbing: None Required **Shipping Weight:** 175 lbs.



* - Values may change due to custom pull with a wood overlay door

24" Signature Series Specifications





 Overall Width:
 23-7/8", 60.643 cm

 Overall Height:
 34-5/16", 87.154 cm


 Overall Depth:
 23-15/16", 60.801 cm


 Capacity:
 5.3 cubic ft.

Capacity: 5.3 cubic ft. Minimum Height Required: 34-3/8" Door Swing Clearance: 24-25/32"

Electrical: 115V, 60 Hz., 1 phase AC, 2.3 amps

Plumbing: none required **Shipping Weight:** 215 lbs.







* - Values may change due to custom pull with a wood overlay door


48" Signature Series Specifications 50" area in which electrical outlet must be located Location of power cord * 4¼" minimum clearance from a corner to achieve required Overall Width: door swing 47-7/8", 121.603 cm Overall Height: 34-5/16", 87.154 cm Overall Depth: 23-15/16", 60.801 cm Capacity: 5.3 cubic ft. Minimum Height Required: 34-3/8 Door Swing Clearance: 24-25/32" 115V, 60 Hz., 1 phase AC, 2.3 amps Electrical: Plumbing: none required 98° swing Shipping Weight: 360 lbs. required for pullout shelf clearance $24^{25}/32''$ * 25⁵/₁₆" minimum clearance for door swing 2315/16" -221/8"-477/8" 345/16" * - Values may change due to custom pull with a wood overlay door ^{_}3¹⁹/₃₂"

*For more detailed specifications, visit www.Perlick.com



15" Clear Ice Maker Specifications





Overall Width: 14-7/8", 37.465 cm 33.1/2", 86.36 cm Overall Height: Overall Depth: 22-5/8", 59.69 cm Capacity: 3.0 cubi Minimum Height Required: 34-1/8" 3.0 cubic ft.

Annual Energy Usage:

319 kWh/yr – \$35 115V, 60 Hz., 1 phase AC, 3.4 amps Electrical:

15 amp Max Fuse/HACR Breaker Size


Plumbing: 1/2" FPT Water Inlet


1/2" FTP Drain

Shipping Weight: 115 lbs.

Operating Limits


45 - 100°F Ambient Temp Range 45 - 95°F • Water Temp Range 7 - 113psig • Water Pressure • Voltage Range 104 - 127V







15" Ultra Lounge Specifications


Blender Station










Liquor Shelf










Cocktail Center











C-Series Specifications





 Overall Width:
 23-7/8", 60.643 cm

 Overall Height:
 34-1/4", 86.995 cm


 Overall Depth:
 23-15/16", 60.801 cm


 Capacity:
 5.3 cubic ft.

Minimum Height Required: 34-3/8"
Door Swing Clearance: 24-25/32"

Electrical: 115V, 60 Hz., 1 phase AC, 2.3 amps


Plumbing: none required **Shipping Weight:** 200 lbs.






* - Values may change due to custom pull with a wood overlay door

ADA Specifications





Specially



Hospitality



Marine



Residential



Scientific



Sport/Luxury Suites









Cert no. SW-COC-002972 www.fsc.org © 1996 Forest Stewardship Council



